

CONFIDENTIAL

997244
NPIC/TDS/D-818-67
26 April 1967

MEMORANDUM FOR: Chief, Support Staff, NPIC

ATTENTION : Chief, Logistics Branch

SUBJECT : Construction of Cradle for Briefing Print Enlarger

REFERENCE : MFR. Visit to [REDACTED]
[REDACTED]

25X1
25X1

1. Because of the size, weight, and design of the Briefing Print Enlarger it will be necessary to construct a cradle for transporting and lifting the printer to the second floor of [REDACTED]. As stated in Paragraph Two of the above reference, the printer will have to be slung under the elevator for raising. This matter was discussed with [REDACTED] and his Staff and it was concluded that it would be both more effective and more economical [REDACTED] (against several times this magnitude) to have Logistics Branch, rather [REDACTED] construct the cradle.

25X1
25X1
25X1
25X1

2. The cradle should be so constructed as to provide ample support for the printer, ease of loading and unloading, appropriate hooks for lifting slings, and be of such dimensions that will not interfere in passage through the halls and vault doors.

3. It is suggested that [REDACTED] and one of his engineers plus the contract monitor from TDS make a one day trip to [REDACTED] for discussions with [REDACTED] engineers and to obtain exact measurements of the printer and location of the balance and pressure points. It is understood that [REDACTED] engineers will provide the necessary shock mounting for transportation.

25X1
25X1
25X1
25X1

DDR-DUPE

[REDACTED]
Colonel, USAF

Assistant for Technical Development, NPIC

Attachment

Memorandum for Record, 20 Apr. 67

Distribution:

Orig & 1 - Addressee

1 - O/A/TD

3 - TDS/DS

CONFIDENTIAL

GROUP 1
Excluded from automatic
downgrading and
declassification

NPIC/TDS/na [REDACTED]

(26 Apr 67)

25X1